CUSTOM SAFETY COVER MEASURING GUIDE



Please Submit this form as:	PUUL GUVERS
Order Order No.	
Questions?	Cover Style - Mesh
Phone 1-844-878-2964 (toll free Monday-Friday 9am-5pm EST)	HPI Yard Guard Standard Mesh
FAX 1-781-428-3013 or email us at <i>care@wholesalepoolcovers.com</i>	HPI Yard Guard Bloc Mesh 95
or email as at care@wnoiesarepoolcovers.com	HPI Yard Guard Bloc Mesh 99
Contact Information	Loop-Loc Super Mesh
Make sure your name, address, phone email address are on this cover page and that your name is on each additional page. Be sure to submit (either by mail or fax) ALL of	Loop-Loc Aqua Xtreme Mesh
the pages of this measuring form.	Cover Style - Solid
Write legibly using BLACK ink. (No pencil or felt-tip markers, please)	HPI Aquamaster Solid - Drain Panel
	HPI Aquamaster Solid - With Pump
Name	Loop-Loc Ultra-Loc III - Drain Panel
Address	Loop-Loc Ultra-Loc III - With Pump
City	Additional Hardware Needed
State Zip	QUANTITY
Phone (daytime)	Lawn Stakes
	Lawn Tubes w/Brass Anchor
(evening)	Wood Deck Anchors
Email	Brass Disc for either Concrete

FOR ORDERING REPLACEMENT COVERS ONLY

IMPORTANT: YFS NO Do you have the old cover? Original cover, Pool size, and distances between anchors along with Do you need springs? anchor count is needed to produce an exact replacement. Do you need anchors? If you do not have the old cover and is a Type 2 pool, then both the

Determine Your Pool Type:

TYPE #1 POOL - Rectangle, Rectangle with Step Section or a Rectangle with Bowed or Grecian Ends

TYPE #2 POOL - Round, Free Form, Oval, Kidney or Lazy "L"

or Wood Deck Anchor

pool and anchor points need A-B measurements for an exact replacement.

Use the following pages of this guide to help you make accurate measurements of your pool.

PLEASE READ ALL DIRECTIONS CAREFULLY BEFORE MEASURING YOUR POOL!

ONCE YOUR SAFETY COVER IS IN PRODUCTION, ALTERATIONS CAN NOT BE MADE. **CUSTOM SAFETY COVERS CANNOT BE RETURNED.**

Only through your measurement accuracy can we ensure the proper fit of your safety cover. Your safety cover will be made to these specifications once you place your order.

Type 1 Pools For pools that are Rectangles, Rectangles With





Name	
------	--


NOTE: If you are looking to match existing anchors


OR have **non-removable objects** like a rock structure, a raised wall, waterfalls, raised spas, or planters that come within 3 feet of the pool edge, **you will need to use the TYPE 2 instructions with the A-B measuring method.**


Tools You will need:

- Chalk
- 100 ft. tape measure. Working with another person will make measuring much easier.
- Black pen for filling out forms, please write legibly.
- 1. Draw an accurate diagram indicating inside pool dimensions using the grid worksheet provided. Include the deck area.
- 2. Listed below are the required measurements. Locate your particular type of pool and list your measurements accordingly; be sure they are inside waterline dimensions.
- **3.** If you have any non-removable obstructions within 18" of the waterline, locate them on your diagram. Measure the distance from the obstruction to the pool's edge and also measure the distance from the obstruction to the closest squared off corner of the pool.
- **4.** If you have a step section, be sure to provide step length and width, and the offset of the step if applicable. Provide measurements as indicated by arrows.

Measure Examples











Measure Examples For Type 1 Pools

Rectangle A A









Type 2 Pools (A-B Measuring Method)

For pools that are Oval, Kidney, Lazy "L" And Free Form Pools

Name	




NOTE: The "A-B" Line must never intersect the pool line and must be at least 4 feet away from the pools edge at all times regardless of how far the line is extended.

For customers looking to match existing anchors you will need to measure BOTH the pool and the anchors from the same A-B line. The A-B line should be positioned 4-5 feet behind the anchors. You will need to submit two measurement sheets, one for the pool and one for the anchors.

Tools You will need:

- Chalk
- 100 ft. tape measure. Working with another person will make measuring much easier.
- Black pen for filling out forms, please write legibly.
- **1.** Draw an accurate diagram indicating INSIDE pool dimensions using the graph provided. Include the deck area, planters and any obstructions within 18" of the waterline. Photographs of the pool are required when having rocks, waterfalls, raised walls, spas or anything out of the ordinary.
- **2.** Establish 2 points, "A" & "B" parallel to the long side of the pool (see at right). These points should be at least 25 ft. apart and can easily be marked with chalk. Point "A" must be to the left of "B" as you face the pool. Be sure to provide us with the distance between "A" and "B".
- **3.** Using chalk, mark and number points along the inside edge of the pool at a maximum of 2 ft. intervals. Number all corner points, direction changes, ladders, handrails, grabrails, slide legs, rocks, spill ways, spa walls separating spa and pool, fill spout and dive stands that are not removable in the fall. 1 ft. intervals should be used in small or tight radius areas. Be sure to identify all obstruction points when filling in your measurements on the measuring chart provided. Always number in a clockwise direction.

Refer to the following TYPE 2 POOL A-B MEASURING METHOD INSTRUCTIONS page. It contains detailed instructions on how to correctly measure and record the measurements of your pool.



Type 2 Pool A-B Measuring Method Instructions



For pools that are Round, Oval, Kidney, Lazy "L" And Free Form Shaped

Name SLIDE LEGS **NOTE:** For customers looking to match existing anchors you will need to measure BOTH the pool and the 18 • • 19 anchors from the same A-B line. The A-B line should be positioned 4-5 feet behind the anchors. You will need to HAND RAILS submit two measurement ROCKS **SPA** 24 • 25 20 sheets. 8' 2" 29 Cross 11 12 **Dimension** 20 30 22 Spa Wall 33 31 30'7" **Cross Dimension** 36 Spillway **DIVING** 14' 0" 17' 0" **BOARD BASE** 14' 0" **Cross Dimension** Overall Width 37 **Cross Dimension** 37'9" **Overall Length** 38 Inside Coping 14' 0" **Cross Dimension** Outside Coping **Planter** Coping =12" inch A-B Line 4' feet minimum distance from edge 25' feet

- **1.** Using chalk, establish two points "**A**" and "**B**", roughly three to four feet from the edge of the pool at least half the length of the pools distance (usually 20 ft 25 ft in length). When facing the pool, Point A must be on your left and Point B on your right (see drawing). The "A-B" Line must not cross the edge or water of the pool. All measurements from the numbered points must touch point A and B at exactly the same point.
- Record the distance measurement of A-B in the space indicated on the measuring form.
- 2. Using chalk, make a mark and number points at the edge of the coping, two feet apart around the perimeter of the pool. Include all non-removable objects within 3 feet of the pool's edge.

- **3.** Next, measure the distance between Point "A" and Point "1" then "A" to point "2" and so on... until you have gone all the way around the pool.
- Record each measurement on the A-B Measurement Sheet.
- **4.** Now measure the distance from POINT B to all of the numbered points, using the same process that you did for Point "A".
- √ Record each measurement on the A-B Measurement Sheet.
- **5.** Finally, measure the overall width and length of the pool by selecting numbered points that represent these distances. It is also helpful if you provide four Cross Dimension measurements 2 for the width and 2 for the length of the pool. (See drawing).
- √ Record each measurement on the A-B Measurement Sheet.

A-B Measurement Sheet Examples

Point No.	TO A	В
1	5′ 2″	27′ 6″
2	8′ 4″	29′ 2″
3	11′8″	32′ 6″
4	15′ 8″	36′ 6″
5		

IMPORTANT:				
the distance from POINT A to POINT B	25 Ft.	0	ln.	

Point No.	TO	Point No.	Feet	Inches	
OVERALL POOL WIDTH					
17		47	17′	0"	
	OVERALL POOL LENGTH				
6		38	37′	9"	
	CROSS DIMENSION				
7					

A-B Measurements Sheet - Pool's Edge







Point No.	0 A	В	Point No.	TO A	ı
1			37		
2			38		
3			39		
4			40		
5			41		
6			42		
7			43		
8			44		
9			45		
10			46		
11			47		
12			48		
13			49		
14			50		
15			51		
16			52		
17			53		
18			54		
19			55		
20			56		
21			57		
22			58		
23			59		
24			60		
25			61		
26			62		
27			63		
28			64		
29			65		
30			66		
31			67		
32			68		
33			69		
34			70		
35			71		
36			72		

IMPORTANT:			
the distance from POINT A to POINT B	Ft.	ln.	

Point No.	ТО	Point No.	Feet	Inches
		OVERALL	POOL WIDTH	
	0	VERALL	POOL LENGTH	
		CROSS	DIMENSION	
		CROSS	DIMENSION	
		CROSS	DIMENSION	`
		CROSS	DIMENSION	

A/B T	O Point No.	Feet	Inches		
NO	N-REMOVAB	LE OBSTRUCT	ION 1		
TYPE:					
A to					
B to					
NO	N-REMOVAB	LE OBSTRUCTI	ON 2		
TYPE:					
A to					
B to					
NO	N-REMOVAB	LE OBSTRUCTI	ON 3		
TYPE:	TYPE:				
A to					
B to					
NO	NON-REMOVABLE OBSTRUCTION 4				
TYPE:					
A to					
B to					

If you have more than 4 obstructions please provide this information on an additional sheet.

A-B Measurements Sheet - Existing Anchors



Name			
Name			



Point No.	TO	A	В
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			

Point No.	ТО	A	В
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			
61			
62			
63			
64			
65			
66			
67			
68			
69			
70			
71			
			I

Please measure to the anchors and the pool's edge from the same A-B line.

Removable and Non-Removable Obstructions



(Objects that are within 3 feet of the pool edge)

Name					
	YES	NO		YES	NO
Pool Decking			GrabRocks	-	
Do you have at least 3 ft. of Deck?			Are there any GrabRocks?		
If No - Please show dimensions on your sketch.			If YES - please provide "A-B" or Reference Method dime	nsions:	
Do you have a concrete deck?			What is the distance from the pool edge	ioioiio.	
If NO - What is deck made of (i.e. wood, brick, etc.)			to the the rocks?		(inches)
Are there Varying Deck Levels?			How wide are Rocks?		(inches)
If Yes - Give "A-B" Location at level change and indicate	e the angle		Raised Walls		
the level change cuts back from pool. How much of a level change is it?		(inches)	Is there a Raised Wall or Raised Bond Beam?		
			 If YES - please provide "A-B" or Reference Method dime 	nsions:	
Ladders			How high?		(inches)
Are there Ladders?			Dimensions at the beginning of the wall		(inches)
Are Ladders removable?			Points along wall at the deck line.		(inches)
If NO - please provide "A-B" or Reference Method dime	nsions:		W		
How far do the rails extend into the pool?		(inches)	Waterfalls		
What is the distance between rails?		(inches)	Are there Waterfalls or Rocks?		
What is the distance from the pool edge		(inches)	If YES - please provide "A-B" or Reference Method dime	nsions:	
to the mounting on the deck?		(inches)	How high?		(inches)
Handrails			Dimensions at the beginning of the wall		(inches)
Are there Handrails?			Points along wall at the deck line.		(inches)
Are Handrails removable?	$\overline{}$		Planters		
	noiene.		Is there a Planter Area?		
If NO - please provide "A-B" or Reference Method dime	nsions:	(inches)		noiene:	
How far do the handrails extend into the pool? What is the distance between handrails?		(inches)	If YES - please provide "A-B" or Reference Method dimer What are the dimensions at the start	ISIUIIS:	
What is the distance from the pool edge		(IIICIIES)	and finish of the planter area?		(inches)
to the mounting on the deck?		(inches)	The width of coping between pool and planter.		(inches)
			— Are stakes or anchors required?		
Grabrails			Is the planter raised?		
Are there Grabrails?			What is the planter made of?		
If YES - please provide "A-B" or Reference Method dime	ensions:		Is Planter strong enough for the		
What is the distance from the pool edge			cover to snaphook into?		
to the mounting on the deck?		(inches)			
Diving Board Stand			— Spa		
Is there a Diving Board Stand?			Is there a spa?		
Is a Diving Board Y-Strap Required?			Is spa level with deck?		
	noiene.		If NO - please provide dimensions:		
If NO - please provide "A-B" or Reference Method dime	nsions:		How high?		(inches)
What is the distance from the pool edge to the stand mounting on the deck?		(inches)	Is spa wall level with coping?		
			Does spa wall have an open spillway?		
Slides			If it is an open spillway, please provide "A-B" or Referen	ce Method di	imensions:
Is there a Slide?			Fill Spout		
Are Slidelegs within 18" of waterline?			Is there a Fill Spout?		
If YES - please provide "A-B" or Reference Method dime	ensions:		•		
What is the distance from the pool edge			Is Fill Spout removable?	_ 🗀	
to the mounting on the deck?		(inches)	If NO - please provide "A-B" or Reference Method dimen What is the distance from the pool edge	sions:	
Skimmer Covers			to the to front edge of the spout?		(inches)
Are there skimmer covers?			· · · · · · · · · · · · · · · · · · ·		
Are the covers flush with the deck?					
ATO THE SUVERS HUSIN WITH THE UCCN:					

Type 1 and Type 2 Pool Layout WorksheetCreate a detailed drawing of your pool and indicate any/all obstructions



Nam	ne																									
Pleas	se	Use B	BLAC	K IN	K, Us	se ad	ditio	nal p	oages	s if n	ecess	sary,	Spe	cify	insid	le dir	nens	ions								